

Product data sheet

Specifications

Acti9 - comb busbar - 1L+N - 9 mm pitch - 18 modules - 80A



19512

⚠ Discontinued on: Jul 17, 2020

⚠ End-of-service on: Sep 22, 2020

⚠ Discontinued

Main

Range	Acti9
Product Or Component Type	Comb busbar
Mounting Mode	Horizontal
Accessory / Separate Part Category	Connection accessory
Lines Description	1L + N
Length In 18 Mm Modules	18

Complementary

Number Of Ways	18 ways N + 1 L
Poles Configuration For 1 Way	1 x 1P + N 1 x 2P
Connection Pitch	0.35 in (9 mm)
Connector Type	tooth
Distance Between Way	0.71 in (18 mm)
Marking	N L
Insulation	Insulated
Device Presentation	Cuttable
[Ie] Rated Operational Current	80 A 104 °F (40 °C)
[Ue] Rated Operational Voltage	230 V AC Ph/N
[Ui] Rated Insulation Voltage	440 V AC IEC 61439-1
[Uimp] Rated Impulse Withstand Voltage	6 kV
Mounting Location	Top tunnel type terminals
9 Mm Pitches	36
Width	12.60 in (320 mm)
Color	Light gray RAL 7035)
Range Compatibility	Acti 9 Acti9 C40 Acti 9 Acti9 C40 Vigi Acti 9 Acti9 ID C40 Multi9 Multi9 N40 Vigi N40 Vigi Acti 9 Acti9 iDPN N Arc Acti 9 Acti9 iARC DPNN Multi9 Multi9 N40

Environment

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Standards	EN/IEC 60439-1 IEC 60947-7
Fire Resistance	1760 °F (960 °C) 30 s) IEC 60695-2-1
Pollution Degree	3 IEC 60947-7

Ordering and shipping details

Gtin	3303430195122
------	---------------

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1

Contractual warranty

Warranty	18 months
----------	-----------

Sustainability





Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)

Well-being performance

	Reach Free Of Svhc	
	Toxic Heavy Metal Free	
	Mercury Free	
	Rohs Exemption Information	Yes
Eu Rohs Directive	Compliant	EU RoHS Declaration
China Rohs Regulation	China RoHS declaration	Pro-active China RoHS declaration (out of China RoHS legal scope)
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.	