## **Product data sheet**

Specification






# voltage release - MX - Shunt trip - 110..415 V AC - 100...130 V DC

26476

! Discontinued on: Jul 12, 2021



#### Main

Range Of Product	Multi9
Product Or Component Type	Shunt trip release
Device Short Name	MX
[Uc] Control Circuit Voltage	110415 V AC 50/60 Hz 110130 V DC
9 Mm Pitches	2

## Complementary

Range Compatibility	Multi9 Multi9 C60 Multi9 Multi9 ID	
Local Signalling	Action indicator	
Mounting Mode	Fixed	
Mounting Support	35 mm symmetrical DIN rail	
Height	3.25 in (82.5 mm)	
Width	0.71 in (18 mm)	
Depth	2.68 in (68 mm) 2.89 in (73.5 mm)	
Net Weight	0.13 lb(US) (0.06 kg)	
Connections - Terminals	Clamp terminal - 2 0.00 in <sup>2</sup> (1.5 mm <sup>2</sup> ) - flexible  Clamp terminal - 1 0.000.00 in <sup>2</sup> (0.52.5 mm <sup>2</sup> ) - rigid  Clamp terminal - 2 0.00 in <sup>2</sup> (1.5 mm <sup>2</sup> ) - flexible with ferrule	
Wire Stripping Length	0.35 in (9 mm)	
Tightening Torque	8.85 lbf.in (1 N.m)	

## **Environment**

Standards	EN/IEC 60947-5-1
Product Certifications	ASTA LCIE ASEFA KEMA
Tropicalisation	2 EN/IEC 60947-5-1
Relative Humidity	95 % 131 °F (55 °C)
Ambient Air Temperature For Operation	-13122 °F (-2550 °C)
Ambient Air Temperature For Storage	-40185 °F (-4085 °C)

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

## Ordering and shipping details

Gtin 3303430264767

# Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	3.54 in (9 cm)
Package 1 Width	0.94 in (2.4 cm)
Package 1 Length	3.15 in (8 cm)
Package 1 Weight	2.47 oz (70 g)

## **Contractual warranty**

Warranty 18 months



**Green Premium**<sup>TM</sup> **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

## Well-being performance

<b>Ø</b>	Reach Free Of Svhc	
<b>②</b>	Toxic Heavy Metal Free	
<b>Ø</b>	Mercury Free	
<b>⊘</b>	Rohs Exemption Information	Yes

### **Certifications & Standards**

Eu Rohs Directive	Compliant EU RoHS Declaration
China Rohs Regulation	China RoHS declaration  Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.