



NEMA Motor Starter, Type S, replacement coil, 240 VAC 50 Hz, 2 or 3 pole, NEMA size 2 starter and 8902SP lighting

3106340948

① Discontinued

Discontinued on: Nov 20, 2023

Product availability: Non-Stock - Not normally stocked in distribution facility

Main

| Product Or Component Type | Coil |
|---------------------------|---------------------------------------|
| Accessory / Separate Part | Class 8502 type SD contactor |
| Destination | Class 8903 type SP lighting contactor |

Complementary

| Nema Size | 2 |
|--------------------------------|--------------------|
| [Ue] Rated Operational Voltage | 240 V AC 50 Hz |
| Inrush Power In Va | 296 VA |
| Average Consumption | 36 VA |
| Height | 2.61 in (66.2 mm) |
| Width | 3.98 in (101.1 mm) |
| Depth | 2.43 in (61.7 mm) |

Ordering and shipping details

| Category | US10CP118061 |
|-------------------|--------------|
| Discount Schedule | 0CP1 |
| Gtin | 785901399179 |
| Returnability | No |
| Country Of Origin | MX |

Packing Units

| Unit Type Of Package 1 | PCE |
|------------------------------|---------------------|
| Number Of Units In Package 1 | 1 |
| Package 1 Height | 3.98 in (10.1 cm) |
| Package 1 Width | 2.44 in (6.2 cm) |
| Package 1 Length | 2.60 in (6.6 cm) |
| Package 1 Weight | 12.96 oz (367.41 g) |

Contractual warranty

Warranty 18 months

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

Eu Rohs Directive

Not applicable, out of EU RoHS legal scope