



Non-Reversing Starter Size 00, 3-Pole, Melting Alloy Overload, NEMA 1+Options

8536SAG12V81CFF4P1T

Price*: 1,656.00 USD

(!) Discontinued

Main

Product Type	Starter
Product Range	S
Starter Type	Non reversing

Complementary

Nema Size	00	
Rated Current	9 A	
Number Of Poles	3P	
Maximum Voltage Rating	600 V AC	
Phase	3 phase	
Type Of Overload	Melting alloy 3	
Horsepower Rating	1.5 HP 200 V AC 1.5 HP 230 V AC 2 HP 460 V AC 2 HP 575 V AC	
Coil Voltage	120 V AC 60 Hz secondary circuit 480 V AC 60 Hz primary circuit	
Control Circuit Type	Control circuit transformer	
Control Units	Selector switch (HAND-OFF-AUTO)	
Pilot Light	Red indicator on incandescent	
Other Equipment	2 fuses (primary), 1 fuse (secondary)	
Terminal Type	Screw clamp terminals	
Height	15.87 in (403 mm)	
Width	6.34 in (161 mm)	
Depth	5.20 in (132 mm)	

Environment

Enclosure Type	NEMA 1 painted sheet steel
Certifications	NEMA CSA
	UL Listed

Ordering and shipping details

Discount Schedule CP

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Poturnahility	No		

Contractual warranty

Warranty 18 months

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

Eu Rohs Directive	Not applicable, out of EU RoHS legal scope
California Proposition 65	WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.p65warnings.ca.gov