

8536SBA1V80CF4P2TX11

Non-Reversing Starter Size 0, 2-Pole, Melting Alloy Overload,NEMA 12/3R +Options

Price* : 2006.00 USD



⚠ Discontinued

8536SBA1V80CF4P2TX11 has not been replaced.
Please contact your customer care center for more information.

Main

Product or component type	Starter
Range of product	S
Control circuit	Control circuit transformer

Complementary

[Uc] control circuit voltage	240 V AC 60 Hz primary circuit 120 V AC 60 Hz secondary circuit
Motor starter type	Non reversing
Line Rated Current	18 A
Poles description	2P
Phase	1 phase
Rated power in HP	1 HP 115 V AC 2 HP 230 V AC
System Voltage	600 V AC
Control type	Selector switch (HAND-OFF-AUTO)
Local signalling	Green indicator : off type: incandescent
Auxiliary contact composition	1 NO + 1 NC
Provided equipment	2 fuses (primary)
Thermal overload type	Melting alloy 1 Thermal Units
Electrical connection	Screw clamp terminals
NEMA size	0

Environment

NEMA degree of protection	NEMA 12 painted sheet steel
Product certifications	CSA NEMA UL listed

Ordering and shipping details

Category	21191 - 8502,36 SA,SB(NOT S*R,T,W)
Discount Schedule	CP1
Nbr. of units in pkg.	1

Package weight(Lbs)	20.98
Returnability	N
Country of origin	MX

Contractual warranty

Warranty period	18 months
-----------------	-----------
