Product data sheet Characteristics

8536SCG3V84CF4P1TX20

Non-Reversing Starter Size 1, 3-Pole, Melting Alloy Overload, Nema 1 +Options

Price*: 1,827.00 USD



8536SCG3V84CF4P1TX20 has not been replaced. Please contact your customer care center for more information.

Main

Product or component type	Starter	
Туре	S	
Control Circuit Type	Control circuit transformer	n Sp

Complementary		
Control Circuit Voltage	120 V AC 60 Hz secondary circuit 208 V AC 60 Hz primary circuit	
Motor starter type	Non reversing	
Line Rated Current	27 A	
Number of Poles	3P	
Phase	3 phases	
Horsepower Rating	7.5 HP 200 V AC 7.5 HP 230 V AC 10 HP 460 V AC 10 HP 575 V AC	
System Voltage	600 V AC	
Control Units	Selector switch (HAND-OFF-AUTO)	
Pilot Light	Red indicator: on type: incandescent	
Auxiliary Contacts	2 NO	
Control Circuit Fusing	2 fuses (primary)	
Thermal overload type	Melting alloy 3 Thermal Units	
Electrical connection	Screw clamp terminals	
NEMA size	1	

Environment

Enclosure Type	NEMA 1 painted sheet steel	-
Product certifications	CSA NEMA UL listed	

Ordering and shipping details

arana ampining arana	
Category	21192 - 8502,36 SC,SD(NOT S*R,T,W)

Discount Schedule	CP1
Nbr. of units in pkg.	1
Package weight(Lbs)	26.90000000000002
Returnability	N
Country of origin	MX

Contractual warranty

Warranty period	18 months