


Product data sheet

Specifications

SQUARE D



Two Speed Starter, Size 0, 3-Pole, Melting Alloy OLR, Open, 120/110V 60/50Hz

8810SBO3V02S

 To be discontinued on: Sep 30, 2024

 To be discontinued

Product availability: Non-Stock - Not normally stocked in distribution facility

Main

Product Or Component Type	Starter
Range Of Product	Type S

Complementary

Control Circuit	Separate control circuit
Control Type	Without
Nema Degree Of Protection	Not rated (open device)
Auxiliary Contact Composition	Without
Maximum Horse Power Rating	2 hp 200 V AC, 3 phase 2 hp 230 V AC, 3 phase
Poles Description	3P
Maximum Operating Voltage	600 V AC
Nema Size	0
[Uc] Control Circuit Voltage	120 V AC 60 Hz 110 V AC 50 Hz
Local Signalling	Without pilot light
Motor Starter Type	2 speed
Electrical Connection	Lugs
Thermal Overload Type	melting alloy
Number Of Thermal Units Required	6
Asynchronous Motor Control Profile	Constant horsepower
Maximum Operating Current	18 A

Environment

Product Certifications	UL listed file E78351 CCN NLDX CSA LR60905 class 3211 04
------------------------	---

Ordering and shipping details

Category	21302 - 8810,11,12 S
Discount Schedule	CP1
Gtin	785901497196

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Returnability	No
Country Of Origin	MX

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Weight	11.94 lb(US) (5.416 kg)

Contractual warranty

Warranty	18 months
----------	-----------

Sustainability

Green Premium™ label is Schneider Electric’s commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product’s sustainability >](#)

Eu Rohs Directive	Not compliant
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information.
California Proposition 65	WARNING: This product can expose you to chemicals including: Lead and lead compounds which is known to the State of California to cause Carcinogen & Reproductive harm. For more information go to www.p65warnings.ca.gov