# Product data sheet

Specifications





# 30mm Push Button, Type K, potentiometer, 10 kohm, 2 Watts

9001K2108

Product availability: Stock - Normally stocked in distribution facility

#### Price\*: 304.22 USD

# Ordering and shipping details

Category	US10CS121426
Discount Schedule	0CS1
Gtin	785901067030
Returnability	Yes
Country Of Origin	MX

## **Packing Units**

r acking Onits	
Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	2.40 in (6.1 cm)
Package 1 Width	2.10 in (5.33 cm)
Package 1 Length	4.50 in (11.43 cm)
Package 1 Weight	4.48 oz (127.01 g)
Unit Type Of Package 2	S01
Number Of Units In Package 2	14
Package 2 Height	5.90 in (14.99 cm)
Package 2 Width	5.90 in (14.99 cm)
Package 2 Length	15.60 in (39.62 cm)
Package 2 Weight	4.87 lb(US) (2.21 kg)

### **Contractual warranty**

Warranty

18 months

Price is "List Price" and may be subject to a trade discount - check with your local distributor or retailer for actual price.

# Sustainability Screen

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Transparency RoHS/REACh

#### Well-being performance

Mercury Free

Rohs Exemption Information
Yes

### **Certifications & Standards**

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope)
China Rohs Regulation	China RoHS declaration
Environmental Disclosure	Product Environmental Profile
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.
Circularity Profile	No need of specific recycling operations Circularity Profile