



(!) Discontinued

Overload Relay, Type S, melting alloy, NEMA size 2, one pole, 45A, 600VAC/DC

9065TO1

- ! Discontinued on: Sep 15, 2023
- ! To be end-of-service on: Dec 31, 2024

Product availability: Non-Stock - Not normally stocked in distribution facility

#### Main

Range Of Product	Separate Mounting
Product Destination	Starter
Thermal Overload Type	Melting alloy

### Complementary

Nema Size	2
Number Of Thermal Units Required	1
Mounting Support	Panel
[Ue] Rated Operational Voltage	600 V AC/DC
Height	4.76 in (121 mm)
Width	1.38 in (35 mm)
Depth	3.27 in (83 mm)

#### Ordering and shipping details

Category	US10CP121661
Discount Schedule	0CP1
Gtin	785901772507
Returnability	No
Country Of Origin	US

#### **Packing Units**

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	1.80 in (4.572 cm)
Package 1 Width	3.40 in (8.636 cm)
Package 1 Length	4.40 in (11.176 cm)
Package 1 Weight	8.48 oz (240.404 g)

# **Contractual warranty**

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Warranty

18 months

## **Sustainability**

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

Eu Rohs Directive	Not compliant
China Rohs Regulation	China RoHS declaration
	Product out of China RoHS scope. Substance declaration for your information.
California Proposition 65	WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov