# **Product data sheet**

Specifications







# Transformer, Type T, industrial control, 200VA, 1 phase, 380/400/415V primary, 115/230V secondary, 80C rise

9070T200D33

Product availability: Non-Stock - Not normally stocked in distribution facility

#### Price\*: 424.00 USD

#### Main

| Product Type | Industrial Control Transformer |
|--------------|--------------------------------|
| Туре         | т                              |

## Complementary

| · · · · · · · · · · · · · · · · · · |                         |  |
|-------------------------------------|-------------------------|--|
| Number Of Phases                    | 1 phase                 |  |
| Power Rating                        | 200 VA UL               |  |
|                                     | 200 VA CSA              |  |
|                                     | 200 VA NOM              |  |
|                                     | 200 VA CE               |  |
| Primary To Secondary Voltage        | 380/400/415 V 115/230 V |  |
| Temperature Rise                    | 80 °C                   |  |
| Electrical Connection               | Screw clamp terminals   |  |
| Height                              | 3.2 in (81.28 mm)       |  |
| Width                               | 3.75 in (95.25 mm)      |  |
| Depth                               | 3.59 in (91.19 mm)      |  |
| Material                            | Copper: winding         |  |
| Fingersafe Cover Compatibility      | FSC1                    |  |
|                                     |                         |  |

## Environment

| Certifications         | CSA file LR37055 guide 184-N-90<br>UL listed file E61239 |
|------------------------|--|
| Enclosure Type         | Not rated (open device)                                  |
| Insulation Temperature | 266 °F (130 °C)  |

## Ordering and shipping details

| Category          | US10CP816206 |
|-------------------|--------------|
| Discount Schedule | 0CP8         |
| Gtin              | 785901415992 |
| Returnability     | No           |
| Country Of Origin | US           |

# **Packing Units**

Price is "List Price" and may be subject to a trade discount - check with your local distributor or retailer for actual price.

| Unit Type Of Package 1       | PCE                   |
|------------------------------|-----------------------|
| Number Of Units In Package 1 | 1                     |
| Package 1 Height             | 3.50 in (8.89 cm)     |
| Package 1 Width              | 3.88 in (9.855 cm)    |
| Package 1 Length             | 4.00 in (10.16 cm)    |
| Package 1 Weight             | 5.60 lb(US) (2.54 kg) |

## **Contractual warranty**

Warranty

10 Years

# Sustainability Screen Premium

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Transparency RoHS/REACh

#### Well-being performance

Mercury Free
Rohs Exemption Information Yes
Pvc Free

#### **Certifications & Standards**

| Reach Regulation          | REACh Declaration   |
|---------------------------|---|
| Eu Rohs Directive         | Compliant with Exemptions   |
| China Rohs Regulation     | China RoHS declaration<br>Product out of China RoHS scope. Substance declaration for your information.  |
| Environmental Disclosure  | Product Environmental Profile   |
| Circularity Profile       | No need of specific recycling operations  |
| California Proposition 65 | WARNING: This product can expose you to chemicals including: Phenyl glycidyl<br>ether, which is known to the State of California to cause cancer and birth defects or<br>other reproductive harm. For more information go to www.P65Warnings.ca.gov |