Specifications



Terminal Block Assembly, Box Lug Connector, Natural Color, 600VAC/DC 70AMP

9080GK610DM



Main

| Range Of Product | 9080G |
|------------------|----------------|
| Product Type | Terminal block |
| Color | Natural |

Complementary

| e emprementar y | |
|---|--|
| Voltage Rating | 600 V AC/DC |
| Current Rating | 40 A CSA 70 A UL |
| Assemblies Consist Of | 10 terminal blocks 1 end barrier 1 marker |
| Wire Size | AWG 22AWG 10 copper |
| Mounting Type | Panel |
| Certifications | CSA file 62144 class 6228 01 CE UL recognized E60616 CCN XCFR2 |
| Ambient Air Temperature For Operation | -40257 °F (-40125 °C) |
| Electrical Connrection Tightening Torque | Lug copper 1112 lbf.in (1.241.36 N.m) : AWG 22AWG 10 copper) |
| Height | 1.39 in (35.31 mm) |
| Width | 1.4 in (35.56 mm) |
| Depth | 4.4 in (111.76 mm) |

Ordering and shipping details

| Category | 21702-9080 G (NOT GCB) |
|-------------------|------------------------|
| Discount Schedule | CP5 |
| Returnability | No |
| Country Of Origin | MX |

Packing Units

| Unit Type Of Package 1 | PCE |
|------------------------------|----------------------|
| Number Of Units In Package 1 | 1 |
| Package 1 Weight | 16.00 oz (453.592 g) |

Price is "List Price" and may be subject to a trade discount - check with your local distributor or retailer for actual price.

Contractual warranty

Warranty

18 months

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

Eu Rohs Directive

Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration