Product data sheet

Specifications



Main

Quantity Per Set

Set of 50

Complementary

[Ue] Rated Operational Voltage	<= 600 V AC/DC
[le] Rated Operational Current	25 A
Awg Gauge	AWG 18AWG 8 copper
Material	Phenolic: block Cadmium plated steel: busbar
Height	1.45 in (36.83 mm)
Width	1.75 in (44.45 mm)
Depth	0.63 in (16.00 mm)

Environment

Product Certifications	UL listed file E60616 CCN XCFR2
	CSA LR62144 class 6228 01

Ordering and shipping details

Category	21704-9080 K (BLOCKS ONLY)
Discount Schedule	CP1
Gtin	00785901777335
Returnability	No
Country Of Origin	MX

Contractual warranty

Warranty

18 months

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

California Proposition 65

WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.p65warnings.ca.gov