



Contactor, Definite Purpose, auxiliary contact, 3A, 1 NO contact and 1 NC contact, for 20A to 40A DPA contactors

9999DD11

! Discontinued

- ! Discontinued on: Oct 8, 2021
- ! End-of-service on: Dec 31, 2021

Product availability: Non-Stock - Not normally stocked in distribution facility

Main

Product Range	DPA
Component Type	Auxiliary Contact Module
Used With	contactor

Complementary

Auxiliary Contact Composition	1 NO + 1 NC	
Rated Breaking Capacity	3 A 120 V AC inductive control circuit UL 508	
	1.5 A 240 V AC inductive control circuit UL 508	
	0.75 A 480 V AC inductive control circuit UL 508	
	0.6 A 600 V AC inductive control circuit UL 508	
	5 A <= 600 V AC resistive control circuit UL 508	

Environment

Product Certifications	UL Recognized	
	CSA	

Ordering and shipping details

Category	US1CP1B21762
Discount Schedule	CP1B
Gtin	785901911586
Returnability	No
Country Of Origin	CN

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	0.60 in (1.524 cm)
Package 1 Width	3.00 in (7.62 cm)
Package 1 Length	3.30 in (8.382 cm)
Package 1 Weight	1.76 oz (49.895 g)

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Contractual warranty

Warranty

18 months

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

Well-being performance

Mercury Free	
Rohs Exemption Information	Yes
Eu Rohs Directive	Compliant EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information.