Product data sheet

Specifications



Mureva BOX - grommet - grey - diameter 4 to 40

ISM71074

() Discontinued on: Mar 14, 2023



Main

Range Of Product	Mureva
Product Or Component Type	Grommet
Colour	Grey RAL 7035)
Quantity Per Package	10 pieces

Accessory / Separate Part Category	Cabling accessory
Material	SBS (styrene butadiene styrene)
Cable Outer Diameter	0.161.57 in (440 mm)
Drilling Diameter	1.73 in (44 mm)

Environment

Operating Temperature	-13104 °F (-2540 °C)
lp-Class	IP55

Ordering and shipping details

Category	80036-ENCLOSURE SYSTEMS ACCESSORIES
Discount Schedule	ES1
Gtin	3606480077272
Returnability	No
Country Of Origin	FR

Packing Units

-	
Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	1.57 in (4 cm)
Package 1 Width	1.57 in (4 cm)
Package 1 Length	5.91 in (15 cm)
Package 1 Weight	0.28 oz (8 g)

Contractual warranty

Price is "List Price" and may be subject to a trade discount - check with your local distributor or retailer for actual price.

Warranty

18 months

Sustainability Screen Premium

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Transparency RoHS/REACh

Well-being performance

Reach Free Of Svhc
T Y 31 Y Wy Metal Free
Mercury Free
Rohs Exemption Information Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations