Product data sheet

Specifications





TeSys D thermal overload relays - remote electrical tripping - 415...440V AC

LA7D03N

! Discontinued on: Oct 8, 2021

! Discontinued

Main

Range	TeSys	
Product Or Component Type	Electrical remote tripping	
Device Short Name	LA7D	
Accessory / Separate Part Category	Electrical accessory	
Product Compatibility	LRD33	
	LR3D35	
	LR3D15	
	LRD15	
	LR3D33	
	LR3D43	
	LR2D	
	LRD43	
[Uc] Control Circuit Voltage	415/440 V AC 50/60 Hz	

Complementary

Maximum Inrush Power In Va	100 VA
Net Weight	0.20 lb(US) (0.09 kg)

Ordering and shipping details

Category	22341-CONTACTOR,D,K,&F ACCESS	
Discount Schedule	112	
Gtin	3389110055146	
Returnability	No	
Country Of Origin	FR	

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	1.97 in (5 cm)
Package 1 Width	1.89 in (4.8 cm)
Package 1 Length	1.89 in (4.8 cm)
Package 1 Weight	3.70 oz (105 g)

Contractual warranty

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Warranty

18 months



Green PremiumTM **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance

Ø	Reach Free Of Svhc	
②	Toxic Heavy Metal Free	
Ø	Mercury Free	
⊘	Rohs Exemption Information	Yes

Certifications & Standards

Eu Rohs Directive	Compliant EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.