

# TeSys F- mechanical interlock - for 2 vertical contactors

LA9FK4G

Discontinued on: Jul 12, 2021

! Discontinued

#### Main

Range	TeSys
Device Short Name	LA9F
Product Or Component Type	Mechanical interlock
Accessory / Separate Part Category	Interlocking accessory
Interlocking Type	Mechanical
Product Compatibility	CR1F LC1F

#### Complementary

Mounting Position	2 vertical	
Mounting Support	Asymmetrical AM1-EC rail	
Interlocked Device	Bottom LC1F185LC1F225 3P or 4P Bottom CR1F185 3P or 4P Top LC1F500 2P or 3P or 4P Top CR1F500 3P or 4P	
Net Weight	2.07 lb(US) (0.94 kg)	

#### Ordering and shipping details

Category	22341-CONTACTOR,D,K,&F ACCESS
Discount Schedule	112
Gtin	3389110296525
Returnability	No
Country Of Origin	CZ

### **Packing Units**

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	4.72 in (12 cm)
Package 1 Width	2.95 in (7.5 cm)
Package 1 Length	18.11 in (46 cm)
Package 1 Weight	2.22 lb(US) (1.007 kg)

## **Contractual warranty**

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Warranty

18 months

#### Sustainability

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

#### Well-being performance

Mercury Free	
Rohs Exemption Information	Yes
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration  Product out of China RoHS scope. Substance declaration for your information.
California Proposition 65	WARNING: Cancer - www.P65Warnings.ca.gov