# Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

# EBE - EnOcean 868MHz - USB dongle



LSS10020040

Discontinued on: Sep 30, 2023

### ! Discontinued

### Main

Range	EcoStruxure Building Expert
Product Name	Enocean
Product Or Component Type	LISB interface

# Complementary

Transmission Frequency	868 MHz EN 300 220
Connector Type	USB type A
Local Signalling	2 LED
Height	2.76 in (70 mm)
Depth	0.35 in (9 mm)
Width	0.91 in (23 mm)
Net Weight	0.03 lb(US) (0.012 kg)
Market Segment	Small buildings

### **Environment**

Ambient Air Temperature For Operation	32104 °F (040 °C)
Ambient Air Temperature For Storage	-13149 °F (-2565 °C)
Relative Humidity	080 % operation 093 % storage
Marking	CE
Directives	1999/5/EC - R&TTE directive

# Ordering and shipping details

Gtin	7332552011139

# **Packing Units**

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	0.43 in (1.1 cm)
Package 1 Width	0.91 in (2.3 cm)
Package 1 Length	2.76 in (7.0 cm)

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Package 1 Weight

2.29 oz (65.0 g)

# Sustainability

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

# Well-being performance

Toxic Heavy Metal Free	
Mercury Free	
Rohs Exemption Information	Yes
Eu Rohs Directive	Compliant
	EU RoHS Declaration
China Rohs Regulation	China RoHS declaration