



TeSys F - contactor coil - LX0FL - 220...230 V AC/DC

LX0FL008

! Discontinued on: Oct 8, 2021

! Discontinued

Main

Range	TeSys	
Product Or Component Type	Contactor coil	
Device Short Name	LX0FL	
Control Circuit Type	AC 50400 Hz DC standard	
[Uc] Control Circuit Voltage	220230 V AC 50400 Hz 220230 V DC	
Average Resistance	25.36 Ohm latching 68 °F (20 °C) 4603 Ohm unlatching 68 °F (20 °C)	
Product Compatibility	CR1F630	
Operating Time	50100 ms unlatching 4080 ms latching	
Mechanical Durability	1 Mcycles	
Maximum Operating Rate	120 cyc/h 104 °F (40 °C)	

Complementary

Control Circuit Voltage Limits Latching: 0.85...1.1 Uc
Unlatching: 0.85...1.1 Uc

Environment

Net Weight 3.22 lb(US) (1.46 kg)

Ordering and shipping details

Category	18401-WORLD SERVICE PARTS(CTR ACCESS)
Discount Schedule	CP10
Gtin	3389110207231
Returnability	No

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	3.94 in (10 cm)
Package 1 Width	4.53 in (11.5 cm)
Package 1 Length	8.86 in (22.5 cm)

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Package 1 Weight

3.22 lb(US) (1.46 kg)

Contractual warranty

Warranty

18 months



Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance

⊘	Reach Free Of Svhc	
Ø	Toxic Heavy Metal Free	
9	Mercury Free	
⊘	Rohs Exemption Information	Yes

Certifications & Standards

Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information