# Product data sheet

Specifications





# TeSys F - contactor coil - LX1FG -115...120 V AC 60 Hz

LX1FG095

() Discontinued on: Feb 17, 2021

① Discontinued

Product availability: Non-Stock - Not normally stocked in distribution facility

#### Main

Range	TeSys
Product Or Component Type	Contactor coil
Device Short Name	LX1FG
Range Compatibility	TeSys TeSys F LC1F contactor
Product Compatibility	LC1F185 LC1F225
Control Circuit Type	AC 60 Hz
[Uc] Control Circuit Voltage	115120 V AC 60 Hz
Inductance Of Closed Circuit	0.49 H
Average Resistance	2.87 Ohm 68 °F (20 °C)
Operating Time	2035 ms closing 715 ms opening
Mechanical Durability	10 Mcycles
Maximum Operating Rate	2400 cyc/h 131 °F (55 °C)

#### Complementary

Coil Technology	Without built-in suppressor module
Control Circuit Voltage Limits	Drop-out 0.350.55 Uc 50/60 Hz 131 °F (55 °C)) Operational 0.851.1 Uc 50/60 Hz 131 °F (55 °C))
Inrush Power In Va	970 VA 60 Hz cos phi 0.3 (at 68 °F (20 °C))
Hold-In Power Consumption In Va	66 VA 60 Hz cos phi 0.3 (at 68 °F (20 °C))
Heat Dissipation	1824 W 60 Hz

### Environment

Ambient Air Temperature For Operation	23131 °F (-555 °C)
Net Weight	1.21 lb(US) (0.55 kg)

# Ordering and shipping details

Category	US10I1222341
Discount Schedule	0112
Gtin	3389110082944
Returnability	No

Price is "List Price" and may be subject to a trade discount - check with your local distributor or retailer for actual price.

Country Of Origin	FR
-------------------	----

#### **Packing Units**

J	
Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	2.76 in (7 cm)
Package 1 Width	3.15 in (8 cm)
Package 1 Length	6.30 in (16 cm)
Package 1 Weight	19.47 oz (552 g)

## **Contractual warranty**

Warranty

18 months

# Sustainability Screen Premium

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Transparency RoHS/REACh

## Well-being performance

Reach Free Of Svhc
Toxic Heavy Metal Free
Mercury Free
Rohs Exemption Information Yes

#### **Certifications & Standards**

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information