Product data sheet

Specifications

Green Premium™

TeSys F - contactor coil - LX1FJ - 500 V AC 40...400 Hz

LX1FJ500

To be discontinued on: Dec 31, 2028

To be discontinued

Product availability: Non-Stock - Not normally stocked in distribution facility

Price*: 344.40 USD

Main

Range	TeSys
Product Or Component Type	Contactor coil
Device Short Name	LX1FJ
Range Compatibility	TeSys TeSys F LC1F contactor
Product Compatibility	LC1F400
Control Circuit Type	AC 40...400 Hz
[Uc] Control Circuit Voltage	500 V AC 40...400 Hz
Inductance Of Closed Circuit	25.5 H
Average Resistance	190 Ohm inrush 68 °F (20 °C) 4980 Ohm holding 68 °F (20 °C)
Operating Time	100...170 ms opening 40...75 ms closing
Mechanical Durability	10 Mcycles
Maximum Operating Rate	2400 cyc/h 131 °F (55 °C)

Complementary

Coil Technology	Without built-in suppressor module
Control Circuit Voltage Limits	Operational 0.85...1.1 Uc 40...400 Hz 131 °F (55 °C)) Drop-out 0.3...0.5 Uc 40...400 Hz 131 °F (55 °C))
Inrush Power In Va	1075 VA 40...400 Hz cos phi 0.9 (at 68 °F (20 °C))
Hold-In Power Consumption In Va	15 VA 40...400 Hz cos phi 0.3 (at 68 °F (20 °C))
Heat Dissipation	14 W 40...400 Hz

Environment

Ambient Air Temperature For Operation	23…131 °F (-5…55 °C)
Net Weight	2.20 lb(US) (1 kg)

Ordering and shipping details

Category	US10I1222341
Discount Schedule	0I12
Gtin	3389110083453

Price is “List Price” and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Returnability	Yes
Country Of Origin	CZ

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	3.74 in (9.5 cm)
Package 1 Width	3.94 in (10.0 cm)
Package 1 Length	7.48 in (19.0 cm)
Package 1 Weight	2.42 lb(US) (1.099 kg)

Contractual warranty

Warranty	18 months

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO_2 products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

Transparency RoHS/REACh

Well-being performance

Reach Free Of Svhc	
Toxic Heavy Metal Free	
Mercury Free	
Rohs Exemption Information	Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information