## Product data sheet

Specifications





# CONTACTOR COIL LX1F 70V AC 50/60HZ

LX1FK070

Product availability: Non-Stock - Not normally stocked in distribution facility

Price\*: 477.60 USD

#### Main

Range	TeSys	
Product Or Component Type	Contactor coil	
Device Short Name	LX1FK	
Range Compatibility	TeSys TeSys F LC1F contactor	
Product Compatibility	LC1F500	
Control Circuit Type	AC 50/60 Hz	
[Uc] Control Circuit Voltage	70 V AC 50/60 Hz	
Average Resistance	2.3 Ohm inrush 68 °F (20 °C) 66.4 Ohm holding 68 °F (20 °C)	
Operating Time	100170 ms opening 4075 ms closing	
Mechanical Durability	10 Mcycles	
Maximum Operating Rate	2400 cyc/h 131 °F (55 °C)	

#### Complementary

Coil Technology	Without built-in suppressor module
Control Circuit Voltage Limits	Operational 0.851.1 Uc 50/60 Hz 131 °F (55 °C)) Drop-out 0.30.5 Uc 50/60 Hz 131 °F (55 °C))

#### **Environment**

Ambient Air Temperature For 23...131 °F (-5...55 °C)

#### Ordering and shipping details

Category	US10l1222341	
Discount Schedule	0112	
Gtin	3389118373891	
Returnability	No	
Country Of Origin	CZ	

#### **Packing Units**

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	3.62 in (9.2 cm)

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Package 1 Width	3.94 in (10.0 cm)
Package 1 Length	7.32 in (18.6 cm)
Package 1 Weight	2.54 lb(US) (1.15 kg)

### **Contractual warranty**

Warranty 18 months



**Green Premium**<sup>TM</sup> **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

#### Well-being performance

<b>⊘</b>	Reach Free Of Svhc	
<b>⊘</b>	Toxic Heavy Metal Free	
<b>⊘</b>	Mercury Free	
<b>⊘</b>	Rohs Exemption Information	Yes

#### **Certifications & Standards**

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information