Product data sheet

Specifications





TeSys F - specific contactor coil

LX9FK910

Product availability: Non-Stock - Not normally stocked in distribution facility

Price*: 432.00 USD

Main

Range	TeSys	
Product Or Component Type	Specific contactor coil	
Device Short Name	LX9FK	
Range Compatibility	TeSys TeSys F LC1F contactor TeSys TeSys F DR2S resistor	
Product Compatibility	LC1F500 DR2SC	
Control Circuit Type	AC 40400 Hz low consumption DC low consumption	
[Uc] Control Circuit Voltage	24 V DC 24 V AC	
Inductance Of Closed Circuit	0.22 H	
Operating Time	60 ms opening 20 ms closing	
Mechanical Durability	Durability 10 Mcycles	
Maximum Operating Rate	3600 cyc/h 158 °F (70 °C)	

Complementary

Coil Technology	Without built-in suppressor module
Control Circuit Voltage Limits	Operational 0.851.1 Uc 131 °F (55 °C)) Drop-out 0.30.5 Uc 131 °F (55 °C))
Inrush Power In W	470 W 68 °F (20 °C))
Hold-In Power Consumption In W	29 W 68 °F (20 °C)
Heat Dissipation	1518.3 W

Environment

Ambient Air Temperature For Operation	23131 °F (-555 °C)
Net Weight	2.38 lb(US) (1.08 kg)

Ordering and shipping details

Category	US10l1222341	
Discount Schedule	0112	
Gtin	3389110248555	
Returnability	No	
Country Of Origin	CZ	

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	3.62 in (9.2 cm)
Package 1 Width	3.94 in (10.0 cm)
Package 1 Length	7.32 in (18.6 cm)
Package 1 Weight	2.82 lb(US) (1.278 kg)

Contractual warranty

Warranty 18 months

Apr 20, 2024



Green PremiumTM **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance

⊘	Reach Free Of Svhc	
⊘	Toxic Heavy Metal Free	
⊘	Mercury Free	
⊘	Rohs Exemption Information	Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information