Product data sheet

Specifications



Transparent polycarbonate cover 18x27x4.5cm



NSYTPLS1827

Product availability: Non-Stock - Not normally stocked in distribution facility

Price*: 13.58 USD

Main

Range	Thalassa
Accessory / Separate Part Category	Enclosure accessory
Product Or Component Type	Cover
Application	Multi-purpose
For Enclosure Nominal Dimensions	-
Mounting Location	Front

Complementary

•	
Range Compatibility	Thalassa Thalassa PLS
Device Composition	1 cover
Material	polycarbonate
Color	Transparent
Fixing Mode	By screws
Height	7.09 in (180 mm)
Width	10.63 in (270 mm)
Depth	1.77 in (45 mm)

Ordering and shipping details

Category	US10ES180036
Discount Schedule	0ES1
Gtin	3606480189685
Returnability	No
Country Of Origin	ES

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	2.36 in (6.0 cm)
Package 1 Width	11.42 in (29.0 cm)
Package 1 Length	7.87 in (20.0 cm)
Package 1 Weight	8.47 oz (240.0 g)

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Contractual warranty

Warranty

18 months



Green PremiumTM **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance



Mercury Free



Rohs Exemption Information

Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope)
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information.
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations