Specifications



Mini circuit breaker, QO, 15A, 1 pole, 120/240VAC, 10kA, plug in, 48VDC rating

QO1155272

() Discontinued on: Sep 19, 2022

① Discontinued

Main

Product	Miniature circuit-breaker	
Range	QO	
Current Rating	15 A	
Voltage Rating	120/240 V AC 120 V AC	
Mounting Type	Plug-in	
Number Of Poles	1P	
Circuit Breaker Type	Standard	
Ratings	HACR and Switching Duty rated	
Electrical Connection	Pressure plate	

Complementary

· · · · · · · · · · · · · J		
Interrupt Rating	10 kA 120/240 V AC 10 kA 120 V AC	
Number Of Panel Spaces	1	
Wire Size	AWG 14AWG 8 copper or aluminium	
Tightening Torque	35.40 lbf.in (4 N.m)	
Height	2.99 in (76 mm)	
Width	0.75 in (19 mm)	
Depth	2.91 in (74 mm)	
Net Weight	0.32 lb(US) (0.145 kg)	

Environment

Certifications	UL Listed CSA
Ambient Rating	104 °F (40 °C)

Ordering and shipping details

Category	00004-QO,QOT 10-30A 1P;10-60A 2P	
Discount Schedule	DE2A	
Returnability	No	
Country Of Origin	MX	

Price is "List Price" and may be subject to a trade discount - check with your local distributor or retailer for actual price.

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	3.00 in (7.62 cm)
Package 1 Width	0.70 in (1.778 cm)
Package 1 Length	3.30 in (8.382 cm)
Package 1 Weight	5.12 oz (145.15 g)

Contractual warranty

Warranty

18 months

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

Well-being performance

	Reach Free Of Svhc	
	Toxic Heavy Metal Free	
	Mercury Free	
	Rohs Exemption Information	Yes
Eu R	ohs Directive	Compliant
		EU RoHS Declaration
Chin	a Rohs Regulation	China RoHS declaration