

Load center, QO, 1 phase, 16 spaces, 16 circuits, 100A convertible main breaker, NEMA3R, UL

QO116M100RB

! Discontinued on: Jul 12, 2021

Product availability: Non-Stock - Not normally stocked in distribution facility

#### Main

| Marketing Trade Name | QO                     |  |
|----------------------|------------------------|--|
| Product Type         | Load Center            |  |
| Enclosure Type       | Weatherproof enclosure |  |
| Cover Type           | Surface cover          |  |

### Complementary

| Pon Convertible Mains (Lugs)           | Main breaker                       |
|--|------------------------------------|
| Rated Current                          | 100 A                              |
| Number Of Spaces                       | 16                                 |
| Max Short Circuit Current Rating       | 22 kA                              |
| Maximum Number Of Single Pole Circuits | 16                                 |
| Maximum Number Of Tandem<br>Breakers   | 0                                  |
| Number Of Phases                       | 1 phase                            |
| Voltage Rating                         | 120/240 V AC                       |
| Wire Size                              | AWG 6AWG 2/0 aluminium/copper      |
| Ground Bar                             | Grounding bar (ordered separately) |
| <b>Electrical Connection</b>           | Lugs                               |
| Wiring Configuration                   | 3-wire                             |
| Busbar Material                        | Tin plated copper: busbar          |
| Enclosure Material                     | Welded galvannealed steel          |
| Surface Finish                         | Baked enamel Gray                  |
| Box Number                             | 4R                                 |
| Height                                 | 22.05 in (560 mm)                  |
| Width                                  | 14.76 in (375 mm)                  |

### **Environment**

| Enclosure Rating            | NEMA 3R outdoor |
|-----------------------------|-----------------|
| Ambient Air Temperature For | 23 °F (-5 °C)   |
| Operation                   | 104 °F (40 °C)  |

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Product Certifications UL Listed

## Ordering and shipping details

| Category          | US1DE3A00002 |
|-------------------|--------------|
| Discount Schedule | DE3A         |
| Gtin              | 785901867944 |
| Returnability     | No           |
| Country Of Origin | US           |

# **Packing Units**

| Unit Type Of Package 1       | PCE                      |
|------------------------------|--------------------------|
| Number Of Units In Package 1 | 1                        |
| Package 1 Height             | 24.00 in (60.96 cm)      |
| Package 1 Width              | 5.00 in (12.7 cm)        |
| Package 1 Length             | 15.50 in (39.37 cm)      |
| Package 1 Weight             | 24.32 lb(US) (11.031 kg) |

## **Contractual warranty**

Warranty 18 months

## Sustainability

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

## Well-being performance

|                       | Reach Free Of Svhc         |   |
|-----------------------|----------------------------|---|
|                       | Toxic Heavy Metal Free     |   |
| <b>②</b>              | Mercury Free               |   |
|                       | Rohs Exemption Information | Yes   |
|                       |                            |   |
| Eu Rohs Directive     |                            | Compliant   |
|                       |                            | EU RoHS Declaration   |
| China Rohs Regulation |                            | China RoHS declaration  |
|                       |                            | Pro-active China RoHS declaration (out of China RoHS legal scope)   |
| Cali                  | fornia Proposition 65      | WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov |