

Product data sheet

Specifications



CANopen preassembled cable, for CANopen bus, 0.3m, 2 x RJ45

VW3CANCARR03

Product availability: Stock - Normally stocked in distribution facility

Price*: 28.00 USD

Main

Range Of Product	CANopen
Range Compatibility	CANopen Altivar Process ATV900 Altivar 71 Modicon LMC058 Altivar 31C Modicon M238 Altivar 32 Altivar Machine ATV320 Lexium SD3 Altivar Process ATV600 Altivar 31 Lexium 28 Modicon M258 Altivar Machine ATV340 except Sercos drives Magelis XBT GC, GT/GK with control Altivar 312
Bus Type	CANopen
Accessory / Separate Part Category	Connection accessory
Accessory / Separate Part Type	Connecting cable
Product Or Component Type	CANopen preassembled cable
Accessory / Separate Part Destination	CANopen bus

Complementary

Cable Length	0.98 ft (0.3 m)
Electrical Connection	2 connectors
Connector Type	2 RJ45
Net Weight	0.11 lb(US) (0.05 kg)

Ordering and shipping details

Category	US1CP4B22154
Discount Schedule	CP4B
Gtin	3389110667066
Returnability	Yes
Country Of Origin	CN

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 1 Height	0.26 in (0.648 cm)
Package 1 Width	4.91 in (12.476 cm)
Package 1 Length	8.02 in (20.361 cm)
Package 1 Weight	0.95 oz (27.000 g)
Unit Type Of Package 2	S03
Number Of Units In Package 2	60
Package 2 Height	11.81 in (30.000 cm)
Package 2 Width	11.81 in (30.000 cm)
Package 2 Length	15.75 in (40.000 cm)
Package 2 Weight	4.54 lb(US) (2.060 kg)
Unit Type Of Package 3	P06
Number Of Units In Package 3	480
Package 3 Height	30.31 in (77.000 cm)
Package 3 Width	31.50 in (80.000 cm)
Package 3 Length	23.62 in (60.000 cm)
Package 3 Weight	53.48 lb(US) (24.260 kg)

Contractual warranty

Warranty	18 months
----------	-----------

Sustainability

Green Premium™ label is Schneider Electric’s commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product’s sustainability >](#)

Well-being performance

 Reach Free Of Svhc

Reach Regulation	REACH Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration
California Proposition 65	WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov